

Raisthorpe Dale : Court Dale Selected Species List		<i>Area</i>	52
		<i>Site</i>	<i>H</i>
		<i>Quadrat</i>	91
		<i>NVC</i>	CG7a
<i>Species</i>	<i>Common name</i>	<i>Type</i>	
Campanula glomerata	clustered bell-flower	c1	4
Helianthemum nummularium	rock rose	c1	
Scabiosa columbaria	small scabious	c1	
Carex flacca	glaucous sedge	c2	
Galium verum	lady's bedstraw	c2	4
Geranium sanguineum	bloody crane's-bill	c2	
Leontodon hispidus	rough hawkbit	c2	
Linum catharticum	purging (fairy) flax	c2	4
Pimpinella saxifraga	burnet saxifrage	c2	
Primula veris	cowslip	c2	
Ranunculus bulbosus	bulbous buttercup	c2	1
Sanguisorba minor	salad burnet	c2	4
Succisa pratensis	devil's-bit scabious	c2	
Thymus praecox	wild thyme	c2	6
Bellis perennis	daisy	f	
Hieracium pilosella	mouse-ear hawkweed	f	4
Lotus corniculatus	common bird's-foot-trefoil	f	4
Plantago lanceolata	ribwort plantain	f	
Agrostis stolonifera	creeping bent	g	
Anthoxanthum odoratum	Sweet vernal-grass	g	
Arrhenatherum elatius	false oat-grass	g	
Avenula (Helictotrichon) pratensis	meadow oat-grass	g	4
Avenula (Helictotrichon) pubescens	downy oat-grass	g	2
Brachypodium pinnatum	tor-grass	g	4
Briza media	quaking grass	g	
Bromus (Bromopsis) erectus	upright brome	g	
Cynosurus cristatus	crested dog's -tail	g	4
Dactylis glomerata	cock's-foot	g	2
Deschampsia cespitosa	tufted hair-grass	g	
Festuca ovina	sheep's fescue	g	7
Festuca rubra	red fescue	g	
Holcus lanatus	Yorkshire fog	g	
Koeleria macrantha	crested hair-grass	g	2
Phleum pratense/bertolonii	timothy	g	1
Trisetum flavescens	yellow oat-grass	g	3

See attached sheet for key to Table

Key

Abundances of herbs indicative of unimproved grassland recorded in the England Field Unit Report No. 30 (1985)

Site number from EFU 30 Report, *Area* letter (A, B, etc.) and *Quadrat* number (Q1, Q2, etc.) shown on attached map.

Type of herb: g – grass, f-forb (herb other than grass), c1, c2 - indicator species for calcareous grassland listed in EFU 30 Report. c1- strongly calciphilous forbs confined, or nearly so, to limestone/chalk areas (total = 23), c2 - predominantly calciphilous forbs characteristic of limestone/chalk areas (total =19).

Domin - quantitative measure of the abundance of a species (see small table). Cover assessed by eye as the vertical projection on to the ground of all live above- ground parts of the plants in the quadrat (2m × 2m). Abundances shown in bold face are “constant” species for that plant community (British Plant Communities, vol 3, Ed. Rodwell , CUP, 1992)

Cover %	Domin	
91-100	10	
76-90	9	
51-75	8	
34-50	7	
26-33	6	
11-25	5	
4-10	4	
<4	1,2,3	