

Nova Slack : Selected Species List		Site	78	78
		Area	B	B
		Quadrat	130	131
		NVC	CG2c	CG2d
Species	Common Name	Type		
<i>Helianthemum nummularium</i>	rock rose	c1		5
<i>Scabiosa columbaria</i>	small scabious	c1	1	
<i>Carex flacca</i>	glaucous sedge	c2	3	3
<i>Galium verum</i>	lady's bedstraw	c2	1	
<i>Knautia arvensis</i>	field scabious	c2	5	3
<i>Leontodon hispidus</i>	rough hawkbit	c2		3
<i>Pimpinella saxifraga</i>	burnet saxifrage	c2	1	3
<i>Plantago media</i>	hoary plantain	c2		3
<i>Primula veris</i>	cowslip	c2	2	3
<i>Ranunculus bulbosus</i>	bulbous buttercup	c2	1	1
<i>Sanguisorba minor</i>	salad burnet	c2	4	5
<i>Thymus praecox</i>	wild thyme	c2	2	5
<i>Hieracium pilosella</i>	mouse-ear hawkweed	f	3	
<i>Lotus corniculatus</i>	common bird's-foot- trefoil	f	3	2
<i>Plantago lanceolata</i>	ribwort plantain	f	1	1
<i>Arrhenatherum elatius</i>	false oat-grass	g	4	1
<i>Avenula (Helictotrichon) pratensis</i>	meadow oat-grass	g		3
<i>Avenula (Helictotrichon) pubescens</i>	downy oat-grass	g	1	
<i>Briza media</i>	quaking grass	g	4	4
<i>Cynosurus cristatus</i>	crested dog's -tail	g	2	
<i>Dactylis glomerata</i>	cock's-foot	g	4	
<i>Festuca ovina</i>	sheep's fescue	g	6	7
<i>Festuca rubra</i>	red fescue	g	5	
<i>Holcus lanatus</i>	Yorkshire fog	g	3	1
<i>Koeleria macrantha</i>	crested hair-grass	g	2	4
<i>Trisetum flavescens</i>	yellow oat-grass	g	4	3

Key to columns 1 to 3

Abundances of herbs indicative of unimproved grassland recorded in the England Field Unit Report No. 30 (1985)

Site number from EFU 30 Report, *Area* letter (A, B, etc.) and *Quadrat* number (Q1, Q2, etc.) shown on attached map.

Type of herb: g – grass, f-forb (herb other than grass), c1, c2 - indicator species for calcareous grassland listed in EFU 30 Report. c1- strongly calciphilous forbs confined, or nearly so, to limestone/chalk areas (total = 23), c2 - predominantly calciphilous forbs characteristic of limestone/chalk areas (total =19).

Domin - quantitative measure of the abundance of a species (see small table). Cover assessed by eye as the vertical projection on to the ground of all live above- ground parts of the plants in the quadrat (2m × 2m).

Abundances shown in bold face are “constant” species for that plant community (British Plant Communities, vol 3, Ed. Rodwell , CUP, 1992)

Cover %	Domin
91-100	10
76-90	9
51-75	8
34-50	7
26-33	6
11-25	5
4-10	4
<4	1,2,3