

South Wold Brow	<i>NVC</i>		CG2c	CG2c	CG2c	CG4c	CG7a
	<i>Site</i>		86	86	87	86	86
	<i>Area</i>		A	A	B	A	A
	<i>Quadrat</i>		147	148	150	151	149
Species	Common name	Type	Abundance (domin)				
<i>Agrostis capillaris</i>	common bent	g	1				
<i>Agrostis stolonifera</i>	creeping bent	g	3				3
<i>Anthoxanthum odoratum</i>	sweet vernal-grass	g		1			
<i>Arrhenatherum elatius</i>	false oat-grass	g				5	
<i>Avenula (Helictotrichon) pratensis</i>	meadow oat-grass	g	2	2			1
<i>Brachypodium pinnatum</i>	tor-grass	g	1		1		3
<i>Briza media</i>	quaking grass	g	2	4	4		
<i>Cynosurus cristatus</i>	crested dog's -tail	g			2		
<i>Dactylis glomerata</i>	cock's-foot	g	3	2	3		2
<i>Deschampsia cespitosa</i>	tufted hair-grass	g	3	1	4		
<i>Festuca ovina</i>	sheep's fescue	g	8	8	8		8
<i>Holcus lanatus</i>	Yorkshire fog	g	4				
<i>Koeleria macrantha</i>	crested hair-grass	g	3	4	3		3
<i>Trisetum flavescens</i>	yellow oat-grass	g		1	2	1	
<i>Helianthemum nummularium</i>	rock rose	c1		2	3	1	
<i>Scabiosa columbaria</i>	small scabious	c1	1	1	1		
<i>Carex flacca</i>	glaucous sedge	c2	3	3	3		1
<i>Geranium sanguineum</i>	bloody crane's-bill	c2					3
<i>Linum catharticum</i>	purging (fairy) flax	c2		1	1		2
<i>Pimpinella saxifraga</i>	burnet saxifrage	c2		2		1	
<i>Sanguisorba minor</i>	salad burnet	c2	4	3	4	8	
<i>Succisa pratensis</i>	devil's-bit scabious	c2		4	3		
<i>Thymus praecox</i>	wild thyme	c2		5	3		7
<i>Cirsium vulgare</i>	spear thistle	f				1	
<i>Hieracium pilosella</i>	mouse-ear hawkweed	f		1	2		5
<i>Lotus corniculatus</i>	common bird's-foot- trefoil	f	4	3	4		
<i>Plantago lanceolata</i>	ribwort plantain	f	2	2	2	3	
<i>Trifolium repens</i>	white clover	f		1	1		1

Abundances of herbs indicative of unimproved grassland recorded in the England Field Unit Report No. 30 (1985)